

Association API Format Changes

Changes Module

Change-Request Association

(i) **Change Initiated by Request:** API calls used in associating/disassociating Requests during the planning stage of a Change.

Sl. No	API Endpoint	New Format		Old Format	
		Input Data	Response	Input Data	Response
1	POST /api/v3/changes/(\d+)/initiated_by_requests POST (Association)	<pre>{ "initiated_by_requests": [{ "request": { "id": "100000000000030769" } }], {</pre>	<pre>{ "response_status": [{ "status_code": 2000, "status": "success" }, { "status_code": 2000, "status": "success" }],</pre>	<pre>{ "change_initiated_by_request": [{ "request": { "id": "100000000000030769" } }], {</pre>	<pre>{ "response_status": [{ "status_code": 2000, "status": "success" }, { "status_code": 2000, "status": "success" }],</pre>

Association API Format Changes

		<pre> "request": { "id": "100000000000030759 " } }] } </pre>	<pre> "initiated_by_requests": [{ "request": { "id": "100000000000030769 " }, "change": { "id": 100000000000030800 } }, { "request": { "id": "100000000000030759 " }, "change": { "id": 100000000000030800 } }] </pre>	<pre> "request": { "id": "100000000000030759 " } }] } </pre>	<pre> "initiated_by_requests": [{ "request": { "id": "100000000000030769 " }, "change": { "id": 100000000000030820 } }, { "request": { "id": "100000000000030759 " }, "change": { "id": 100000000000030820 } }] </pre>
--	--	---	--	---	--

Association API Format Changes

			<pre> }] } </pre>		<pre> }] } </pre>
2	<p>DELETE</p> <p>/api/v3/changes/(\d+)/initiated_by_requests (Disassociation)</p>	<pre> { "initiated_by_requests": [{ "request": { "id": "100000000000030769" } }, { "request": { "id": "100000000000030759" } }] } </pre>	<pre> { "response_status": [{ "status_code": 2000, "status": "success" }, { "status_code": 2000, "status": "success" }] } </pre>	<pre> { "change_initiated_by_request": [{ "request": { "id": "100000000000030775" } }, { "request": { "id": "100000000000030769" } }] } </pre>	<pre> { "response_status": [{ "status_code": 2000, "status": "success" }, { "status_code": 2000, "status": "success" }] } </pre>

Association API Format Changes

(ii) **Request Caused by Change:** API calls used in associating/disassociating Requests during the implementation stage of a Change.

Sl. No	API Endpoint	New Format		Old Format	
		Input Data	Response	Input Data	Response
1	POST /api/v3/changes/(\d+)/initiated_requests (Association)	<pre>{ "initiated_requests": [{ "request": { "id": "100000000000030769 " } }, { "request": { "id": "100000000000030759 " } }] }</pre>	<pre>{ "response_status": [{ "status_code": 2000, "status": "success" }, { "status_code": 2000, "status": "success" }], "initiated_requests": [{ "request": { "id": "100000000000030769 " } }] }</pre>	<pre>{ "request_initiated_by_change": [{ "request": { "id": "100000000000030775 " } }], "initiated_requests": [{ "request": { "id": "100000000000030769 " } }] }</pre>	<pre>{ "response_status": [{ "status_code": 2000, "status": "success" }, { "status_code": 2000, "status": "success" }], "initiated_requests": [{ "request": { "id": "100000000000030769 " } }] }</pre>

Association API Format Changes

		<pre> }] } </pre>	<pre> "100000000000030769" " }, "change": { "id": 100000000000030800 } }, { "request": { "id": "100000000000030759" " }, "change": { "id": 100000000000030800 } }] } </pre>	<pre> " } }] } </pre>	<pre> "100000000000030775" " }, "change": { "id": 100000000000030800 } }, { "request": { "id": "100000000000030769" " }, "change": { "id": 100000000000030800 } }] } </pre>
2	DELETE /api/v3/changes/(\d+)/initiated_reque	{ "initiated_requests": [{ "response_status": [{	{ "response_status": [

Association API Format Changes

	<p>sts (Disassociation)</p>	<pre>{ "request": { "id": "100000000000030769 " } }, { "request": { "id": "100000000000030759 " } }]</pre>	<pre>{ "status_code": 2000, "status": "success" }, { "status_code": 2000, "status": "success" }]</pre>	<pre>"request_initiated_by_c hange": [{ "request": { "id": "100000000000030775 " } }, { "request": { "id": "100000000000030769 " } }]</pre>	<pre>{ "status_code": 2000, "status": "success" }, { "status_code": 2000, "status": "success" }]</pre>
--	-----------------------------	---	---	---	---

Association API Format Changes

Change-Problem Association

API calls used in associating/disassociating Problems during the planning stage of a Change.

Sl. No	API Endpoint	New Format		Old Format	
		Input Data	Response	Input Data	Response
1	POST /api/v3/changes/(\d+)/problems (Association)	<pre>{ "problems": [{ "problem": { "id": "100000000000030789 " } }, { "problem": { "id": "100000000000030785 " } }] }</pre>	<pre>{ "response_status": [{ "status_code": 2000, "status": "success" }, { "status_code": 2000, "status": "success" }], "problems": [{ "problem": { "id": "100000000000030789 " } }] }</pre>	<pre>{ "problem_change_asso ciation": [{ "problem": { "id": "100000000000030789 " } }, { "problem": { "id": "100000000000030785 " } }] }</pre>	<pre>{ "response_status": [{ "status_code": 2000, "status": "success" }, { "status_code": 2000, "status": "success" }], "problems": [{ "problem": { "id": "100000000000030789 " } }] }</pre>

Association API Format Changes

		<pre>] } </pre>	<pre> " }, "change": { "id": 100000000000030800 } }, { "problem": { "id": "100000000000030785 " }, "change": { "id": 100000000000030800 } }] } </pre>	<pre> } }] } " }, "change": { "id": 100000000000030800 " }, "change": { "id": 100000000000030800 } }] } </pre>	<pre> " }, "change": { "id": 100000000000030800 " }, "change": { "id": 100000000000030800 " }, "change": { "id": 100000000000030800 } }] } </pre>
2	DELETE /api/v3/changes/(\d+)/problems (Disassociation)	<pre> { "problems": [{ </pre>	<pre> { "response_status": [{ </pre>	<pre> { "problem_change_asso </pre>	<pre> { "response_status": [{ </pre>

Association API Format Changes

		<pre> "problem": { "id": "100000000000030789 " } }, { "problem": { "id": "100000000000030785 " } }] } </pre>	<pre> "status_code": 2000, "status": "success" }, { "status_code": 2000, "status": "success" }] } </pre>	<pre> "ciation": [{ "problem": { "id": "100000000000030789 " } }, { "problem": { "id": "100000000000030785 " } }] } </pre>	<pre> "status_code": 2000, "status": "success" }, { "status_code": 2000, "status": "success" }] } </pre>
--	--	---	---	--	---

Association API Format Changes

Change-Project Association

API calls used in associating/disassociating Projects from the implementation stage of a Change.

Sl. No	API Endpoint	New Format		Old Format	
		Input Data	Response	Input Data	Response
1	POST /api/v3/changes/(\d+)/projects (Association)	<pre>{ "projects": [{ "project": { "id": "100000000000030839 " } }, { "project": { "id": "100000000000030831 " } }] }</pre>	<pre>{ "projects": [{ "change": { "id": 100000000000030800 }, "project": { "id": "100000000000030839 " } }, { "change": { "id": "100000000000030831 " } }] }</pre>	<pre>{ "project_change_association": [{ "project": { "id": "100000000000030839 " } }, { "project": { "id": "100000000000030831 " } }] }</pre>	<pre>{ "projects": [{ "change": { "id": 100000000000030800 }, "project": { "id": "100000000000030839 " } }, { "change": { "id": "100000000000030839 " } }, { "change": { "id": "100000000000030831 " } }] }</pre>

Association API Format Changes

		<pre>] } </pre>	<pre> 100000000000030800 }, "project": { "id": "100000000000030831 " } }], "response_status": [{ "status_code": 2000, "status": "success" }, { "status_code": 2000, "status": "success" }] } </pre>	<pre> } }] } </pre>	<pre> 100000000000030800 }, "project": { "id": "100000000000030831 " } }], "response_status": [{ "status_code": 2000, "status": "success" }, { "status_code": 2000, "status": "success" }] } </pre>
2	DELETE /api/v3/changes/(\d+)/projects (Disassociation)	<pre> { "projects": [{ </pre>	<pre> { "response_status": [{ </pre>	<pre> { "project_change_associ</pre>	<pre> { "response_status": [{ </pre>

Association API Format Changes

		<pre> "project": { "id": "100000000000030839 " } }, { "project": { "id": "100000000000030831 " } }] } </pre>	<pre> "status_code": 2000, "status": "success" }, { "status_code": 2000, "status": "success" }] } </pre>	<pre> "action": [{ "project": { "id": "100000000000030839 " } }, { "project": { "id": "100000000000030831 " } }] } </pre>	<pre> "status_code": 2000, "status": "success" }, { "status_code": 2000, "status": "success" }] } </pre>
--	--	---	---	---	---

Association API Format Changes

Problem Module

Problem-Change Association

API calls used in associating/disassociating Problems with a Change.

Sl. No	API Endpoint	New Format		Old Format	
		Input Data	Response	Input Data	Response
1	POST /api/v3/problems/(\d+)/changes (Association)	<pre>{ "changes": [{ "change": { "id": "100000000000030808 " } }] }</pre>	<pre>{ "response_status": [{ "status_code": 2000, "status": "success" }], "changes": { "problem": { "id": 100000000000030780 }, "change": { "id": "100000000000030808 "</pre>	<pre>{ "problem_change_asso ciation": [{ "change": { "id": "100000000000030793 " } }] }</pre>	<pre>{ "response_status": [{ "status_code": 2000, "status": "success" }], "changes": { "problem": { "id": 100000000000030780 }, "change": { "id": "100000000000030793 "</pre>

Association API Format Changes

			<pre> } } } </pre>		<pre> } } } </pre>
2	<p>DELETE</p> <p>/api/v3/problems/(\d+)/changes</p> <p>(Disassociation)</p>	<pre> { "changes": [{ "change": { "id": "1000000000000030808 " } }] } </pre>	<pre> { "response_status": [{ "status_code": 2000, "status": "success" }] } </pre>	<pre> { "problem_change_asso ciation": [{ "change": { "id": "1000000000000030793 " } }] } </pre>	<pre> { "response_status": [{ "status_code": 2000, "status": "success" }] } </pre>

Association API Format Changes

Problem-Request Association

API calls used in associating/disassociating Requests with a Problem.

Sl. No	API Endpoint	New Format		Old Format	
		Input Data	Response	Input Data	Response
1	POST /api/v3/problems/(\d+)/requests (Association)	<pre>{ "requests": [{ "request": { "id": "2936000000598022" } }] }</pre>	<pre>{ "response_status": [{ "status_code": 2000, "status": "success" }], "requests": { "request": { "id": "2936000000598022" }, "problem": { "id": 2936000000241057 } } }</pre>	<pre>{ "request_problem_asso ciation": [{ "request": { "id": "100000000000035005" } }] }</pre>	<pre>{ "response_status": [{ "status_code": 2000, "status": "success" }], "requests": { "request": { "id": "100000000000035005" }, "problem": { "id": "100000000000035005" } } }</pre>

Association API Format Changes

			<pre> } } } </pre>		<pre> 100000000000035000 } } } } </pre>
2	<p>DELETE</p> <p>/api/v3/problems/(\d+)/requests</p> <p>(Disassociation)</p>	<pre> { "requests": [{ "request": { "id": "2936000000598022" } }] } </pre>	<pre> { "response_status": [{ "status_code": 2000, "status": "success" }] } </pre>	<pre> { "request_problem_as sociation": [{ "request": { "id": "1000000000000350 05" } }] } </pre>	<pre> { "response_status": [{ "status_code": 2000, "status": "success" }] } </pre>